Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(("6463435") or ("6181893")).PN.	US-PGPUB; USPAT;	OR	OFF	2005/01/06 07:05
L2	2	(("5287194") or ("5995721")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/06 07:05
L3	18	("3597071" | "4476486" | "4521805" | "4527885" | "4587532" | "4797706" | "4839829" | "4947345" | "4982234" | "5036361" | "5045880" | "5053970" | "5111391" | "5123089" | "5128860" | "5128878" | "5130806" | "5179637").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 07:08
L4	22	1 OR 2 OR 3	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 07:10
L5	2	4 AND (((database or (data adj base)) or ((database or (data adj base)) near2 management)) near9 (tabel or list or table--row or row or column or rows))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 11:07
L6	2	4 AND (((database or (data adj base)) or ((database or (data adj base)) near2 management)) SAME (tabel or list or table--row or row or column or rows))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 07:27
L7	163	(SPOOLER SAME (tabel or list or table--row or row or column or rows))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:32
L8	0	(SPOOLER SAME (tabel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:32
L9	0	(SPOOLER AND (tabel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:46

L10	0	(SPOOLER AND (tabel$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:32
L11	0	(relational near2 ((data near1 base) or database)) SAME (spooler with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:08
L12	18	QUAE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:46
L13	1415	MANAG$5 WITH (PRINT ADJ JOB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:40
L14	2052333	(MANAG$5 WITH (PRINT ADJ JOB)) AME TABLE$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:40
L15	641	13 AND TABLE$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:40
L16	0	(MANAG$5 WITH (PRINT ADJ JOB)) SAME TABEL$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:40
L17	0	(MANAG$5 WITH (PRINT ADJ JOB)) AND TABEL$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:41

L18	0	(MANAG$5 SAME (PRINT ADJ JOB)) AND TABEL$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:41
L19	0	(MANAG$5 SAME (PRINT NEAR3 JOB)) AND TABEL$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:41
L20	5	(relational near2 ((data near1 base) or database)) SAME SPOOLER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:42
L21	16	(relational near2 ((data near1 base) or database)) SAME SPOOL$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:43
L22	5866	QUEUE WITH TABL$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:48
L23	90	13 AND 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:49
L24	37	QUEUE WITH (TABEL$6 OR TABULAR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:10
L25	1	13 AND 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:50

L26	0	(relational near2 ((data near1 base) or database)) SAME ((plurality or multiple) with (PRINTER OR (PRINT ADJ ENGINE) OR (PRINTING ADJ DEVICE) OR (PRINTHEAD) OR (PRINT ADJ HEAD) OR (printing adj head))) same spool$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:09
L27	0	(QUEUE near1 servers) same (TABEL$6 OR TABULAR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:12
L28	61	(QUEUE) same (TABEL$6 OR TABULAR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 08:12
L29	12	("5623693" | "5630123" | "5706449" | "5774121" | "6003101" | "6052147" | "6055533" | "6145031" | "6170042" | "6301639" | "6421676" | "6442631").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:18
L30	0	29 AND (((database or (data adj base)) or ((database or (data adj base)) near2 management)) near9 (tabel or list or table--row or row or column or rows))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:27
L31	2	29 AND ((database or (data adj base)) or (database or (data adj base)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:25
L32	2	29 AND (database or (data adj base))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:26
L33	9	29 and (tabel or list or table--row or row or column or rows)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:29
L34	11	29 and (tabel or list or table--row or row or column or rows or table)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:30
L35	1	"6145031".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:31
L36	0	35 and (table near6 ("10" or storage))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:32

L37	0	35 and (table same ("10" or storage))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:48
L38	0	10/783,851	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 08:49
L39	6	("5327526" | "5718520" | "5923826" | "5970224" | "6000001" | "6003101").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 10:31
L40	13	("5718520").URPN.	USPAT	OR	ON	2005/01/06 10:37
L41	3	"6433882"	USPAT	OR	ON	2005/01/06 10:37
L42	2	(("6433882") or ("6466935")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/06 10:41
L43	0	("42and(spool$6andprinter)").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/06 10:42
L44	2	42 and (spool$6 and printer)	US-PGPUB; USPAT	OR	ON	2005/01/06 10:46
L45	1	42 and (relational)	US-PGPUB; USPAT	OR	ON	2005/01/06 10:46
L46	0	"2002000293"	US-PGPUB; USPAT	OR	ON	2005/01/06 11:02
L47	0	2002000293a1	US-PGPUB; USPAT	OR	ON	2005/01/06 10:47
L48	0	us2002000293a1	US-PGPUB; USPAT	OR	ON	2005/01/06 10:47
L49	0	us2002/000293a1	US-PGPUB; USPAT	OR	ON	2005/01/06 10:47
L50	1	"20020002923"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:47
L51	1	"20020085228"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:48
L52	0	"2002085228"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:49
L53	1	"20020120792"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:51
L54	1	"20020085228"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:56
L55	1	"20020138558"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:52
L56	1	"20020138564"	US-PGPUB; USPAT	OR	ON	2005/01/06 11:01
L57	1774	50 or 51 05 52 0r 53 or 54 or 55 or 56	US-PGPUB; USPAT	OR	ON	2005/01/06 10:50
L58	1	"20020080389"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:57

L59	1	"20020085228"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:57
L60	1	"20020120792"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:58
L61	1	"20020138558"	US-PGPUB; USPAT	OR	ON	2005/01/06 11:00
L62	1	"20020138564"	US-PGPUB; USPAT	OR	ON	2005/01/06 11:00
L63	0	62 and 61 and 60 and 59 and 58 and 57	US-PGPUB; USPAT	OR	ON	2005/01/06 11:00
L64	1775	62 or 61 or 60 or 59 or 58 or 57	US-PGPUB; USPAT	OR	ON	2005/01/06 11:01
L65	1	("20020120792").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/06 11:01
L66	6	(("20020002923") or ("20020080389") or ("20020085228") or ("20020120792") or ("20020138558") or ("20020138564")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/06 11:11
L67	2	66 and ((database or (data adj base)) and spool$6)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 11:11
L68	8	(("20020002923") or ("20020080389") or ("20020085228") or ("20020120792") or ("20020138558") or ("20020138564") or ("6433882") or ("6466935")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/06 11:11
L69	4	68 and ((database or (data adj base)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 11:12
L70	17307	(relational near2 ((data near1 base) or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:18
L71	25	70 and (spooler same print$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:19

S1	17248	(relational near2 ((data near1 base) or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:18
S2	25	S1 and (spooler same print$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:19
S3	25	S2 and (table or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:52
S4	1	("6611348").URPN.	USPAT	OR	ON	2005/01/05 12:22
S5	11	("20010034609" | "20020049792" | "20020073178" | "20020087510" | "5499366" | "5649216" | "6101513" | "6123362" | "6134548" | "6195689" | "6611348").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:35
S6	0	(((database or (data adj base)) or ((database or (data adj base)) near12 management)) near9 (tabe or table--row or row or column or rows)) with spooler with printer	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:39
S7	1	(((database or (data adj base)) or ((database or (data adj base)) near2 management)) near9 (tabe or table--row or row or column or rows)) same spooler same printer	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:41
S8	4	(((database or (data adj base)) or ((database or (data adj base)) near2 management)) near9 (tabel or list or table--row or row or column or rows)) same spooler same printer	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:46
S9	23306	(((database or (data adj base)) or ((database or (data adj base)) near2 management)) near9 (tabel or list or table--row or row or column or rows))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 07:10
S10	36	S9 and (spooler with printer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:49

S11	27047	(((database or (data adj base)) or ((database or (data adj base)) near2 management)) near9 (tabel or list or table--row or row or column or rows))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 07:31
S12	36	S11 and (spooler with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:12
S13	0	large adj scale adj print adj spool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 12:50
S14	0	large near1 scale near1 print near1 spool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 12:51
S15	0	large near3 scale near3 print near3 spool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 12:52
S16	1	large with scale with print with spool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 12:52
S17	960	distributed near2 printing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:13
S18	442	distributed adj printing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:13

S19	38286	S1 or S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:14
S20	39	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:14
S21	31	S20 and spool$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:45
S22	2	"5559933".pn. and data$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:52
S23	1	"5559933".pn. and ("36" and Q1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:52
S24	80	("5559933").URPN.	USPAT	OR	ON	2005/01/05 14:02
S25	1	"6783288".pn.	USPAT	OR	ON	2005/01/05 14:02
S26	1	"6775019".pn.	USPAT	OR	ON	2005/01/05 14:02
S27	2	S25 or S26	USPAT	OR	ON	2005/01/05 14:02
S28	0	S27 and database	USPAT	OR	ON	2005/01/05 14:03
S29	1	S27 and (data adj base)	USPAT	OR	ON	2005/01/05 14:05
S30	0	"6748471".pn. and (data adj base)	USPAT	OR	ON	2005/01/05 14:08
S31	1	"6748471".pn. and (database)	USPAT	OR	ON	2005/01/05 14:06
S32	1	"6748471".pn. and (table or list)	USPAT	OR	ON	2005/01/05 14:10
S33	0	"6707563".pn. and ((data adj base) or database)	USPAT	OR	ON	2005/01/05 14:09
S34	1	"6707563".pn. and ((data adj base) or database or data$6)	USPAT	OR	ON	2005/01/05 14:09
S35	1	S34 and (table or list)	USPAT	OR	ON	2005/01/05 14:10
S36	80	("5559933").URPN.	USPAT	OR	ON	2005/01/05 14:30

S37	9	("5165014" | "5179637" | "5220674" | "5227643" | "5228118" | "5287194" | "5287434" | "5327526" | "5345091").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 14:53